ELSEVIER

Volume 267 Numbers 1–2, 6 March 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Crystal structure of new $M'_6M''_{1.5+x}X_{1.5-x}$ compounds (M′=Zr, Hf; M″=Fe, Co, Ni; X=Sn, Sb) and electronic structure of $Zr_6Co_{1.65}Sn_{1.35}$ L1
G.A. Melnyk (Lviv, Ukraine), D. Fruchart (Grenoble, France), L.P. Romaka, J.V. Stadnyk (Lviv, Ukraine), R.V. Skolozdra (Lviv, Ukraine and Grenoble, France), J. Tobola (Grenoble, France and Krakow, Poland)

Magnetic properties of RRuGe (R=Gd-Er) compounds L4
B. Penc (Kraków, Poland), M. Hofmann (Berlin, Germany), M. Kolenda (Kraków, Poland), M. Ślaski (Birmingham, UK), A. Szytuła (Kraków, Poland)

Anomalous magnetic behaviour Of $(Tb_{0.27}Dy_{0.73})_{0.32}Fe_{0.68}$ amorphous thin film L9
Ch.V. Mohan, H. Kronmüller (Stuttgart, Germany)

Physical properties of GdNiIn L12
F. Merlo, M.L. Fornasini, S. Cirafici, F. Canepa (Genova, Italy)

Crystallographic data of new ternary CeFeSi-type RTiGe (R=Y, Gd–Tm) compounds L14
A.V. Morozkin, Yu.D. Seropegin, A.V. Leonov, I.A. Sviridov, I.A. Tskhadadze, S.A. Nikitin (Moscow, Russia)

Interaction of neodymium and antimony with transition metals L16
P. Salamakha (L'viv, Ukraine)

Physics

Order parameter of the metal to insulator phase transition in the thio spinel $CuIr_2S_4$ 1
H. Kang, K. Bärner, I.V. Medvedeva, P. Mandal (Göttingen, Germany), A. Poddar, E. Gmelin (Stuttgart, Germany)

Estimation of the standard enthalpy of formation of double oxide 6
W. Zhuang (Beijing, People's Republic of China), J. Liang (Beijing and Shenyang, People's Republic of China), Z. Qiao, J. Shen, Y. Shi, G. Rao (Beijing, People's Republic of China)

Synthesis and characterization of new cuprates with the 1222 structure $(Ln,Zn)Sr_2(Ln,Ce)_2Cu_2O_z$ (Ln=rare earth element) . . 11
H.M. Luo, Z.Y. Chen, Y.T. Qian (Anhui, P.R. China), G.C. Che, Z.X. Zhao (Beijing, P.R. China)

Phase transition in $Ni_{30}In_{70}$ alloy studied with PAC method 14
P. Wodniecki, B. Wodniecka, M. Marszalek, A. Kulińska, A.Z. Hrynkiewicz (Cracow, Poland)

Enthalpy increment measurements of $Sr_3Zr_2O_7$(s) and $Sr_4Zr_3O_{10}$(s) 19
A. Banerjee, S. Dash, R. Prasad, V. Venugopal (Mumbai, India)

$EuTa_2Al_{20}$, $Ca_6W_4Al_{43}$ and other compounds with $CeCr_2Al_{20}$ and $Ho_6Mo_4Al_{43}$ type structures and some magnetic properties of these compounds 23
V.M.T. Thiede, W. Jeitschko, S. Niemann, T. Ebel (Münster, Germany)

Magnetic and magnetoelastic properties of β-UH_3 32
A.V. Andreev (Prague, The Czech Republic), S.M. Zadvorkin (Ekaterinburg, Russia), M.I. Bartashevich (Ekaterinburg, Russia and Tokyo, Japan), T. Goto (Tokyo, Japan), J. Kamarád, Z. Arnold (Prague, The Czech Republic), H. Drulis (Wroclaw, Poland)

Magnetic properties of $Ho_2Co_{17-x}Ga_x$ compounds 37
C. Zhang (Shenyang, P.R. China and Amsterdam, The Netherlands), J.C.P. Klaasse, E. Brück, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

Magnetic properties of $YCo_{10}Mo_{2-x}M_x$ compounds (M=Si or V) 41
C. Zhang (Shenyang, P.R. China and Amsterdam, The Netherlands), F.R. de Boer, X.C. Kou, E. Brück, J.C.P. Klaasse (Amsterdam, The Netherlands), G.W. Qiao (Shenyang, P.R. China), K.H.J. Buschow (Amsterdam, The Netherlands)

Magnetic relaxation of hydrogen in $La(Ni_{0.7}Fe_{0.3})_5$ 47
M. Gerlach, N. Mommer, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

Crystal structure and magnetic properties of the compound $Ce_2Ni_{15}Si_2$ 50
O. Isnard (Grenoble, France), K.H.J. Buschow (Amsterdam, The Netherlands)

Elsevier Science S.A.

Thermal expansion of β-rhombohedral boron 54
T. Lundström, B. Lönnberg (Uppsala, Sweden), J. Bauer (Rennes, France)

The Fe ordering in RFe_6Ge_6 compounds with non-magnetic R (R=Y, Lu, Hf) studied by neutron diffraction and magnetic measurements 59
P. Schobinger-Papamantellos (Zürich, Switzerland), K.H.J. Buschow, F.R. de Boer (Amsterdam, The Netherlands), C. Ritter (Grenoble, France), O. Isnard (Amsterdam, The Netherlands), F. Fauth (Grenoble, France)

Chemistry

Thermodynamic conditions for the synthesis of oxide superconductors 66
H. Oesterreicher (La Jolla, CA, USA)

Cell volume expanded $ErBa_2Cu_3O_y$ near $y=6.5$ through getter annealing 70
J.R. O'Brien, H. Oesterreicher (La Jolla, CA, USA)

Electrochemical characteristics of a homogeneous amorphous alloy prepared by ball-milling Mg_2Ni with Ni 76
S. Nohara, N. Fujita, S.G. Zhang, H. Inoue, C. Iwrakura (Osaka, Japan)

Crystal growth and structure of $Mn_{2.47}V_{0.94}Mo_{1.06}O_8$ 79
X. Wang, K.R. Heier, C.L. Stern, K.R. Poeppelmeier (Evanston, IL, USA)

Synthesis and crystal structure of $NdFe_{0.45}Ge_2$ and $HoFe_{0.33}Ge_2$ 86
L. Zeng, H.F. Franzen (Ames, IA, USA)

Metallurgy

Review article
Present achievements, problems and perspectives associated with a semi-empirical study of the Al–Cu–Mg–Si–Zn light alloy system 90
S.G. Fries, I. Hurtado, T. Jantzen, P.J. Spencer (Aachen, Germany), K.C.H. Kumar (Heverlee, Belgium), F. Aldinger, P. Liang, H.L. Lukas, H.J. Seifert (Stuttgart, Germany)

The structure of liquid Bi_2Te_3 alloys near the stoichiometric region 100
S.I. Mudry (Lviv, Ukraine)

Thermodynamic optimisation of the Co–Nb system 105
K.C.H. Kumar (Leuven, Belgium), I. Ansara (Saint-Martin d'Hères, France), P. Wollants, L. Delaey (Leuven, Belgium)

High-pressure studies of the $TiCr_{1.8}$–H_2 system Statistical thermodynamics above the critical temperature 113
O. Beeri, D. Cohen, Z. Gavra (Beer-Sheva, Israel), J.R. Johnson (Upton, NY, USA), M.H. Mintz (Beer-Sheva, Israel)

A thermodynamic modelling of the Co–Ce system 121
X. Su, W. Zhang, Z. Du (Beijing, P.R. China)

Standard enthalpies of formation of some 3d transition metal silicides by high temperature direct synthesis calorimetry 128
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

Structural and hydrogen sorption studies of $NdNi_{5-x}Al_x$ and $GdNi_{5-x}Al_x$ 136
J.-L. Bobet, S. Pechev, B. Chevalier, B. Darriet (Pessac, France)

Enthalpies of formation of Zr–Au compounds determined by direct reaction calorimetry 142
M. Lomello-Tafin (Lausanne, Switzerland and Annecy-Le-Vieux, France), P. Galez (Annecy-Le-Vieux, France), P. Feschotte (Lausanne, Switzerland), J.J. Kuntz (Vandoeuvre-Les-Nancy, France), J.L. Jorda (Annecy-Le-Vieux, France), J.C. Gachon (Vandoeuvre-Les-Nancy, France)

A thermodynamic assessment of the Co–Sm system 149
X. Su, W. Zhang, G. Liu, Z. Du (Beijing, PR China)

The phase diagram of the Lu–In system 154
A. Palenzona, P. Manfrinetti, R. Palenzona (Genova, Italy)

The initial stages of the reaction between ZrCo and hydrogen studied by hot-stage microscopy 158
J. Bloch, M. Brill, Y. Ben-Eliahu, Z. Gavra (Beer-Sheva, Israel)

Isothermal section of the Ti–Si–Ga system in the Ti-rich corner at 1350°C 167
N.V. Antonova, L.A. Tretyachenko, O.Ph. Galadzhy, T.Ya. Velikanova (Kiev, Ukraine)

Further studies of the isotherms of $LaNi_{5-x}Sn_x$–H for $x=0$–0.5 171
S. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), R.C. Bowman Jr., L.A. Wade (Pasadena, CA, USA)

New $TbFeSi_2$- and $U_3Ni_4Si_4$-type structure compounds obtained in R–T–T′–X systems (R=rare earth elements; T=Mn, Co, Ru, Rh; T′=Ni, Cu, Pd, Pt; X=Si, Ge) 182
M.N. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Ternary Ce–Co–Ge system 189
M.B. Konyk, O.I. Bodak (L'viv, Ukraine)

Synthesis and crystal structure of new representatives of the $YIrGe_2$ structure type 192
P. Salamakha, O. Sologub (L'viv, Ukraine), J.K. Yakinthos, Ch.D. Routsi (Xanthi, Greece)

Thermodynamic investigation of viscosity in Cu–Bi and Bi–Zn liquid alloys 195
O. Akinlade (Stuttgart, Germany), R.N. Singh (Alkhod, Oman), F. Sommer (Stuttgart, Germany)

Materials Science

Mechanical alloying of iron–hematite powders 199
J. Ding, W.F. Miao, E. Pirault, R. Street, P.G. McCormick (Perth, Australia)

Lattice expanding behaviour and degradation of $LaNi_5$-based alloys 205
Y. Nakamura, K. Sato, S. Fujitani, K. Nishio, K. Oguro, I. Uehara (Osaka, Japan)

A new scandium boride: ScB_{19} 211
T. Tanaka (Ibaraki, Japan), S. Okada (Tokyo, Japan), V.N. Gurin (St. Petersburg, Russia)

Structure, phase transformation and magnetic properties of Nd–Fe–C alloys made by mechanical alloying and subsequent annealing 215
Y.C. Sui, Z.D. Zhang, Q.F. Xiao, W. Liu, T. Zhao, X.G. Zhao, Y.C. Chuang (Shenyang, People's Republic of China)

On the charge/discharge behavior of Ti_2Ni electrode in 6 M KOH aqueous and deuterium oxide solutions 224
B. Luan (Wollongong, Australia), S.J. Kennedy (Menai, Australia), H.K. Liu, S.X. Dou (Wollongong, Australia)

Effect of lanthanum additions on electrode properties of Mg_2Ni 231
L. Yongning, Z. Xianji (Xi'an, People's Republic of China)

Hydriding and dehydriding characteristics of Mg-$LaNi_5$ composite materials prepared by mechanical alloying 235
M. Terzieva, M. Khrussanova, P. Peshev (Sofia, Bulgaria)

Investigations on synthesis, characterization and hydrogenation behaviour of the spin- and thermal-melted versions of $LaNi_{5-x}Si_x$ (x=0.1, 0.3, 0.5) hydrogen storage materials 240
S. Srivastava, O.N. Srivastava (Varanasi, India)

Hydrogen desorption properties of the quaternary alloy system $Mg_{2-x}M1_xNi_{1-y}M2_y$ 246
Y. Tsushio (Hiroshima, Japan), E. Akiba (Ibaraki, Japan)

Charge characteristics of sealed-type nickel/metal-hydride battery 252
M. Ikoma, S.-i. Yuasa (Osaka, Japan), K. Yuasa (Kanagawa, Japan), S. Kaida, I. Matsumoto, C. Iwakura (Osaka, Japan)

A model relating remanence and microstructure of $SmCo_5$ magnets 257
M.F. de Campos, F.J.G. Landgraf, R. Machado, D. Rodrigues, S.A. Romero, A.C. Neiva, F.P. Missell (São Paulo, Brazil)

Activation behaviour of ZrCrNi mechanically milled with nickel 265
C. Bo Jung, J. Ho Kim, K. Sub Lee (Seoul, South Korea)

Effects of reduced hydrogen pressure on magnetic properties of HDDR-treated NdFeGaB alloy powders 270
J.-r. Gao, X.-p. Song, X.-t. Wang (Xi'an, People's Republic of China)

Thermal conductivity of technetium 274
K. Minato, H. Serizawa, K. Fukuda (Ibaraki-ken, Japan)

Improvement of the cation-distribution in the polycrystalline high-temperature superconductor LaSrCuO 279
H. Berg, R. Müller, R. Borowski (Köln, Germany), B. Freitag (Bonn, Germany), I. Müller, B. Roden (Köln, Germany)

Cu_xY compounds as thin films: crystallographic and compositional analyses of yttrium rich phases 283
J.M. Engels (Orsay, France), M. Gasgnier (Meudon, France), G. Blaise (Orsay, France)

Cu_xY compounds as thin films: crystallographic and compositional analyses of copper rich phases 294
J.M. Engels (Orsay, France), M. Gasgnier (Meudon, France), G. Blaise (Orsay, France)

Mechanical alloying and hydrogen absorption properties of the Mg–Ni system 302
G. Liang (Ste-Foy, Canada), S. Boily, J. Huot (Varennes, Canada), A. Van Neste (Ste-Foy, Canada), R. Schulz (Varennes, Canada)

Author Index of Volume 267 307

Subject Index of Volume 267 309

ContentsDirect delivers the table of contents for this journal, by e-mail, approximately two to four weeks prior to each issue's publication. To subscribe to this free service complete and return the form at the back of this issue or send an e-mail message to CDsubs@elsevier.co.uk